

Copyright. Papers accepted become the copyright of the journal (© 1989 Blackwell Scientific Publications). Authorization to photocopy for internal or personal use or the internal or personal use of specific clients is granted by Blackwell Scientific Publications Ltd for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the stated base fee of \$03.00 per copy is paid directly to the CCC, 27 Congress Street, Salem, MA 01970, U.S.A. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Special requests should be addressed to the Editor. 0269-283X/89 \$03.00.

Contents

VOLUME 3, NUMBER 1, JANUARY 1989

| | |
|--|--------|
| ALISON C. MORRIS, PAUL EGGLESTON and JULIAN M. CRAMPTON: Genetic transformation of the mosquito <i>Aedes aegypti</i> by micro-injection of DNA | 1-7 |
| R. H. FFRENCH-CONSTANT and B. C. BONNING: Rapid microtitre plate test distinguishes insecticide resistant acetylcholinesterase genotypes in the mosquitoes <i>Anopheles albimanus</i> , <i>An. nigerrimus</i> and <i>Culex pipiens</i> | 9-16 |
| K. J. NJUNWA, G. L. MWAIKO, B. S. KILONZO and J. I. K. MHINA: Seasonal patterns of rodents, fleas and plague status in the Western Usambara Mountains, Tanzania | 17-22 |
| METIN AKTAŞ: <i>Ctenophthalmus harputus</i> , a new <i>Spalax</i> flea from Turkey | 23-27 |
| GRAHAM BARSON: Response of insecticide-resistant and susceptible houseflies (<i>Musca domestica</i>) to a commercial granular bait formulation containing methomyl | 29-34 |
| FRANCOISE C. CLARKE, D. A. ELS, A. HELLER-HAUPT, Y. RECHAV and M. G. R. VARMA: Expression of acquired immunity to immature stages of the tick <i>Rhipicephalus evertsi</i> by rabbits and guinea-pigs | 35-39 |
| A. M. FELDMANN and T. PONNUDURAI: Selection of <i>Anopheles stephensi</i> for refractoriness and susceptibility to <i>Plasmodium falciparum</i> | 41-52 |
| M. F. BOWEN and EDWARD E. DAVIS: The effects of allatectomy and juvenile hormone replacement on the development of host-seeking behaviour and lactic acid receptor sensitivity in the mosquito, <i>Aedes aegypti</i> | 53-60 |
| P. J. MCCALL and A. J. TREES: Assessment of a silhouette trap for sampling zoophilic blackflies (Diptera: Simuliidae) | 61-65 |
| P. H. GOLL, J. DUNCAN and N. BROWN: Long-term storage of eggs of <i>Simulium ornatum</i> | 67-75 |
| SUSAN C. WELBURN, I. MAUDLIN and D. S. ELLIS: Rate of trypanosome killing by lectins in midguts of different species and strains of <i>Glossina</i> | 77-82 |
| R. D. DRANSFIELD, R. BRIGHTWELL, J. KIILU, M. F. CHAUDHURY and D. A. ADABIE: Size and mortality rates of <i>Glossina pallidipes</i> in the semi-arid zone of southwestern Kenya | 83-95 |
| Short communication S. W. LINDSAY and L. M. JANNEH: Preliminary field trials of personal protection against mosquitoes in The Gambia using deet or permethrin in soap, compared with other methods | 97-100 |

VOLUME 3, NUMBER 2, APRIL 1989

| | |
|---|---------|
| E. C. GREINER, F. C. M. ALEXANDER, J. ROACH, V. MOE, G. BORDE, W. P. TAYLOR, J. DICKINSON and E. P. J. GIBBS: Bluetongue epidemiology in the Caribbean region: serological and entomological findings from a pilot sentinel system in Trinidad and Tobago | 101-105 |
| BRIAN H. KAY, IAN D. FANNING and PIPI MOTTRAM: The vector competence of <i>Culex annulirostris</i> , <i>Aedes sagax</i> and <i>Aedes alboannulatus</i> for Murray Valley encephalitis virus at different temperatures | 107-112 |
| SALLY L. PAULSON, PAUL R. GRIMSTAD and GEORGE B. CRAIG, JR: Midgut and salivary gland barriers to La Crosse virus dissemination in mosquitoes of the <i>Aedes triseriatus</i> group | 113-123 |
| CHRISTIAN F. SCHREY, C. ALVES PIRES and D. W. MACVEAN: Distribution of phlebotomine sandflies and the rate of their infection with <i>Leishmania</i> promastigotes in the Algarve, Portugal | 125-130 |
| R. KILLICK-KENDRICK, M. KILLICK-KENDRICK, N. LEGER, B. PESSON and A. M. PAGE: Absence of outer caudal setae on all larval instars of <i>Phlebotomus tobbi</i> from the Ionian Greek islands | 131-135 |

Copyright. Papers accepted become the copyright of the journal (© 1989 Blackwell Scientific Publications). Authorization to photocopy for internal or personal use or the internal or personal use of specific clients is granted by Blackwell Scientific Publications Ltd for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the stated base fee of \$03.00 per copy is paid directly to the CCC, 27 Congress Street, Salem, MA 01970, U.S.A. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Special requests should be addressed to the Editor. 0269-283X/89 \$03.00.

Contents

VOLUME 3, NUMBER 1, JANUARY 1989

| | |
|--|--------|
| ALISON C. MORRIS, PAUL EGGLESTON and JULIAN M. CRAMPTON: Genetic transformation of the mosquito <i>Aedes aegypti</i> by micro-injection of DNA | 1-7 |
| R. H. FFRENCH-CONSTANT and B. C. BONNING: Rapid microtitre plate test distinguishes insecticide resistant acetylcholinesterase genotypes in the mosquitoes <i>Anopheles albimanus</i> , <i>An. nigerrimus</i> and <i>Culex pipiens</i> | 9-16 |
| K. J. NJUNWA, G. L. MWAIKO, B. S. KILONZO and J. I. K. MHINA: Seasonal patterns of rodents, fleas and plague status in the Western Usambara Mountains, Tanzania | 17-22 |
| METIN AKTAŞ: <i>Ctenophthalmus harputus</i> , a new <i>Spalax</i> flea from Turkey | 23-27 |
| GRAHAM BARSON: Response of insecticide-resistant and susceptible houseflies (<i>Musca domestica</i>) to a commercial granular bait formulation containing methomyl | 29-34 |
| FRANCOISE C. CLARKE, D. A. ELS, A. HELLER-HAUPT, Y. RECHAV and M. G. R. VARMA: Expression of acquired immunity to immature stages of the tick <i>Rhipicephalus evertsi</i> by rabbits and guinea-pigs | 35-39 |
| A. M. FELDMANN and T. PONNUDURAI: Selection of <i>Anopheles stephensi</i> for refractoriness and susceptibility to <i>Plasmodium falciparum</i> | 41-52 |
| M. F. BOWEN and EDWARD E. DAVIS: The effects of allatectomy and juvenile hormone replacement on the development of host-seeking behaviour and lactic acid receptor sensitivity in the mosquito, <i>Aedes aegypti</i> | 53-60 |
| P. J. MCCALL and A. J. TREES: Assessment of a silhouette trap for sampling zoophilic blackflies (Diptera: Simuliidae) | 61-65 |
| P. H. GOLL, J. DUNCAN and N. BROWN: Long-term storage of eggs of <i>Simulium ornatum</i> | 67-75 |
| SUSAN C. WELBURN, I. MAUDLIN and D. S. ELLIS: Rate of trypanosome killing by lectins in midguts of different species and strains of <i>Glossina</i> | 77-82 |
| R. D. DRANSFIELD, R. BRIGHTWELL, J. KIILU, M. F. CHAUDHURY and D. A. ADABIE: Size and mortality rates of <i>Glossina pallidipes</i> in the semi-arid zone of southwestern Kenya | 83-95 |
| Short communication S. W. LINDSAY and L. M. JANNEH: Preliminary field trials of personal protection against mosquitoes in The Gambia using deet or permethrin in soap, compared with other methods | 97-100 |

VOLUME 3, NUMBER 2, APRIL 1989

| | |
|---|---------|
| E. C. GREINER, F. C. M. ALEXANDER, J. ROACH, V. MOE, G. BORDE, W. P. TAYLOR, J. DICKINSON and E. P. J. GIBBS: Bluetongue epidemiology in the Caribbean region: serological and entomological findings from a pilot sentinel system in Trinidad and Tobago | 101-105 |
| BRIAN H. KAY, IAN D. FANNING and PIPI MOTTRAM: The vector competence of <i>Culex annulirostris</i> , <i>Aedes sagax</i> and <i>Aedes alboannulatus</i> for Murray Valley encephalitis virus at different temperatures | 107-112 |
| SALLY L. PAULSON, PAUL R. GRIMSTAD and GEORGE B. CRAIG, JR: Midgut and salivary gland barriers to La Crosse virus dissemination in mosquitoes of the <i>Aedes triseriatus</i> group | 113-123 |
| CHRISTIAN F. SCHREY, C. ALVES PIRES and D. W. MACVEAN: Distribution of phlebotomine sandflies and the rate of their infection with <i>Leishmania</i> promastigotes in the Algarve, Portugal | 125-130 |
| R. KILLICK-KENDRICK, M. KILLICK-KENDRICK, N. LEGER, B. PESSON and A. M. PAGE: Absence of outer caudal setae on all larval instars of <i>Phlebotomus tobbi</i> from the Ionian Greek islands | 131-135 |

| | |
|---|---------|
| B. D. PARASHAR, G. P. GUPTA and K. M. RAO: Control of haematophagous flies on equines with permethrin-impregnated ear tags | 137-140 |
| SUSAN C. WELBURN and I. MAUDLIN: Lectin signalling of maturation of <i>T. congolense</i> infections in tsetse | 141-145 |
| RICHARD WALL: The roles of vision and olfaction in mate location by males of the tsetse fly <i>Glossina morsitans morsitans</i> | 147-152 |
| L. LANCE SHOLDT, CARL E. SCHRECK, M. I. MWANGELWA, JOSEPH NONDO and VIOLET J. SIACHINJI: Evaluations of permethrin-impregnated clothing and three topical repellent formulations of deet against tsetse flies in Zambia | 153-158 |
| J. L. READSHAW: The influence of seasonal temperatures on the natural regulation of screwworm, <i>Cochliomyia hominivorax</i> , in the southern U.S.A. | 159-168 |
| LINCOLN SMITH, DONALD A. RUTZ and GLEN A. SCOLES: Influence of habitat and temperature on dispersal behaviour of two pteromalid parasitoids of houseflies during an inundative release at a dairy barn | 169-178 |
| D. E. GORLA and C. J. SCHOFIELD: Population dynamics of <i>Triatoma infestans</i> under natural climatic conditions in the Argentine Chaco | 179-194 |
| LINDA D. JONES, CLIVE R. DAVIES, GORDON M. STEEL and PATRICIA A. NUTTALL: Vector capacity of <i>Rhipicephalus appendiculatus</i> and <i>Amblyomma variegatum</i> for Thogoto and Dhori viruses | 195-202 |
| BOOK NOTICES | 106 |

VOLUME 3, NUMBER 3, JULY 1989

| | |
|--|---------|
| PHILIP D. TAYLOR and STEPHEN M. SMITH: Activities and physiological states of male and female <i>Tabanus sackeni</i> | 203-212 |
| D. P. SLEEMAN: Ectoparasites of the Irish stoat | 213-218 |
| I. E. MORTON and R. D. WARD: Laboratory responses of female <i>Lutzomyia longipalpis</i> sandflies to a host and male pheromone source over distance | 219-223 |
| A. M. LACKIE and S. GAVIN: Uptake and persistence of ingested antibody in the mosquito <i>Anopheles stephensi</i> | 225-230 |
| DAVE D. CHADEE and ELISHA S. TIKASINGH: Diel biting activity of <i>Culex (Melanoconion) caudelli</i> in Trinidad, West Indies | 231-237 |
| THOMAS N. SHERRATT and ELISHA S. TIKASINGH: A laboratory investigation of mosquito larval predation by <i>Toxorhynchites moctezuma</i> on <i>Aedes aegypti</i> | 239-246 |
| SEAN L. C. O'MALLEY, STEPHEN F. HUBBARD and DAVE D. CHADEE: Oviposition habitat preferences of <i>Toxorhynchites moctezuma</i> mosquitoes in four types of tropical forest in Trinidad | 247-252 |
| S. W. LINDSAY, F. C. SHENTON, R. W. SNOW and B. M. GREENWOOD: Responses of <i>Anopheles gambiae</i> complex mosquitoes to the use of untreated bednets in The Gambia | 253-262 |
| S. W. LINDSAY, R. W. SNOW, G. L. BROOMFIELD, M. SEMEGA JANNEH, R. A. WIRTZ and B. M. GREENWOOD: Impact of permethrin-treated bednets on malaria transmission by the <i>Anopheles gambiae</i> complex in The Gambia | 263-271 |
| R. W. SUTHERST, J. P. SPRADBERY and G. F. MAYWALD: The potential geographical distribution of the Old World screw-worm fly, <i>Chrysomya bezziana</i> | 273-280 |
| Y. Z. ERZINCIOGLU: The value of chorionic structure and size in the diagnosis of blowfly eggs | 281-285 |
| N. SALES, G. W. LEVOT and P. B. HUGHES: Monitoring and selection of resistance to pyrethroids in the Australian sheep blowfly, <i>Lucilia cuprina</i> | 287-291 |
| A. X. LINHARES and R. P. M. AVANCINI: Ovarian development in the blowflies <i>Chrysomya putoria</i> and <i>C. megacephala</i> on natural diets | 293-295 |
| SARAH E. RANDOLPH, R. D. DRANSFIELD and D. J. ROGERS: Effect of host odours on trap catch composition of <i>Glossina pallidipes</i> in Kenya | 297-306 |
| R. G. PEGRAM, J. LEMCHE, H. G. B. CHIZYUKA, R. W. SUTHERST, R. B. FLOYD, J. D. KERR and P. J. McCOSKER: Ecological aspects of cattle tick control in central Zambia | 307-312 |

| | |
|---|---------|
| R. G. PEGRAM, J. LEMCHE, H. G. B. CHIZYUKA, R. W. SUTHERST, R. B. FLOYD, J. D. KERR and P. J. McCOSKER: Effect of tick control on liveweight gain of cattle in central Zambia | 313-320 |
| Short communication PETER MATTON and HILDE VAN MELCKEBEKE: Inefficacy of phosphine fumigation against ticks | 321-322 |
| Short communication ANGUS R. WESTGARTH-SMITH and C. HEREWARD: An automatic maggot counter for use in blowfly development studies | 323-324 |
| Short communication ALON WARBURG: An improvised air filter for sandfly aspirators | 325-326 |
| Correspondence RENÉ LE BERRE: Long-term storage of eggs of <i>Simulium damnosum</i> | 224 |
| Book Notices | 238 |

VOLUME 3, NUMBER 4, OCTOBER 1989

| | |
|--|---------|
| L. CHUKA MADUBUNYI: Estimation of the interval between feeding and capture in peridomestic <i>Glossina tachinoides</i> | 327-332 |
| Y. RECHAV, A. HELLER-HAUPT and M. G. R. VARMA: Resistance and cross-resistance in guinea-pigs and rabbits to immature stages of ixodid ticks | 333-336 |
| T. SOTA and M. MOGI: Effectiveness of zooprophylaxis in malaria control: a theoretical inquiry, with a model for mosquito populations with two bloodmeal hosts | 337-345 |
| JOHN R. LINLEY: Laboratory tests of the effects of p-cresol and 4-methylcyclohexanol on oviposition by three species of <i>Toxorhynchites</i> mosquitoes | 347-352 |
| J. A. ROZENDAAL, J. VOORHAM, J. P. M. VAN HOOFF and B. F. J. OOSTBURG: Efficacy of mosquito nets treated with permethrin in Suriname | 353-365 |
| M. I. HOSSAIN and C. F. CURTIS: Permethrin-impregnated bednets: behavioural and killing effects on mosquitoes | 367-376 |
| S. W. LINDSAY, R. W. SNOW, J. R. M. ARMSTRONG and B. M. GREENWOOD: Permethrin-impregnated bednets reduce nuisance arthropods in Gambian houses | 377-383 |
| ALIDA FOUCHÉ, R. M. CREWE and I. M. WINDSOR: Vertical transmission of hepatitis B virus in <i>Culex quinquefasciatus</i> | 385-389 |
| DOUGLAS D. COLWELL: Scanning electron microscopy of the posterior spiracles of cattle grubs <i>Hypoderma bovis</i> and <i>Hypoderma lineatum</i> | 391-398 |
| M. L. WARNES: Responses of tsetse flies (<i>Glossina</i> spp.) to compounds on the skin surface of an ox: a laboratory study | 399-406 |
| K. NEWBERRY: The effects on domestic infestations of <i>Cimex lectularius</i> bedbugs of interspecific mating with <i>C. hemipterus</i> | 407-414 |
| BRIAN H. KAY, IAN D. FANNING and PIPI MOTTRAM: Rearing temperature influences flavivirus vector competence of mosquitoes | 415-422 |
| G. WOUTERS, D. BERKENS and A. F. GOMES: Genetic variation in the body weight of ticks of the <i>Rhipicephalus appendiculatus/zambeziensis</i> complex | 423-427 |
| ABDU F. AZAD and ROBERT TRAUB: Experimental transmission of murine typhus by <i>Xenopsylla cheops</i> flea bites | 429-433 |
| NANCY C. HINKLE, D. CRAIG SHEPPARD, KAINE BONDARI and JERRY F. BUTLER: Effect of temperature on toxicity of three pyrethroids to horn flies | 435-439 |
| Short communication G. MAJORI, M. MAROLI, G. SABATINELLI and A. M. FAUSTO: Efficacy of permethrin-impregnated curtains against endophilic phlebotomine sandflies in Burkina Faso | 441-444 |
| Short communication M. M. PILE: A <i>Culex</i> egg raft is not necessarily laid by only one female | 445-446 |

